

HIGH PERFORMANCE INDUSTRY, METALWORKING AND CHEMISTRY



Rukapol[®]
since 1954

HEAVY WORK DETERMINES YOUR EVERYDAY LIFE?

→ OUR SHOES ARE RUGGED BUT LIGHT ON YOUR FEET.

Rukapol® work and safety shoes provide reliable services for all conceivable challenges in industry, metalworking and chemistry. When you need flexibility and comfort:

→ Rukapol® shoes set the standard for quality and innovation. If your work day is characterized by extreme conditions: Then there's nothing better than shoes from Rukapol®. Because we keep our performance promise: High performance, every step you take.

HERE, STABILITY MEETS → AIRY AND LIGHT RESPONSIVENESS.



→ SPACE_AIR SILVER
ART. NO.: s1445c426148100

SPACE_AIR

- For light indoor work
- **Super light and breathable**—thanks to the air-cooled SPACER FABRIC inner lining

EN ISO 20345:2011 SIP HI/CI SRB

SIZES: 39-47 (UK 6-12)



→ SPACE_AIR CAMOUFLAGE
ART. NO.: s1445b426148100



→ SPACE_AIR PINK
ART. NO.: s1445d426148100

→ SPACE_AIR COBALT
ART. NO.: s1445c426148100



• **Ultra-Light**

• **Extremely breathable**—thanks to the air-cooled inner lining and double-layer rear ventilation

• **Sensory-motor walking feeling**—thanks to the Rukapol® FIT-AKTIV_SENDO functional footbed

Fitting perfectly in any situation.

The precisely customized BOA® Fit System ensures high comfort with reliable functionality. Even small adjustments can be made at lightning speed while you work. With only one hand and even while wearing gloves.

ORIGINAL BOA FIT SYSTEM



SEAMEX® AIR

- For light indoor and outdoor work
- **Super light and breathable**—thanks to the mesh upper material and air-cooled SPACER FABRIC inner lining
- **Easy on the material**—thanks to the abrasion-proof PU bumper cap

EN ISO 20345:2011 SIP HI/CI SRB

SIZES: 39-47 (UK 6-12)



→ SEAMEX AIR ANTHRACITE
ART. NO.: s1460g426148100



→ SEAMEX AIR BLUE
ART. NO.: s1460f426148100



→ JUST AIR
ART. NO.: s1440j426148100



→ DAVID
ART. NO.: s1341a426148100



→ TOBIAS
ART. NO.: s1340a426148100



→ LEATHER_PRO M1
ART. NO.: s0431k426148100



LEATHER_PRO M1 + M2

- For moderate indoor and outdoor work
- **Super light and breathable**—thanks to the air-cooled SPACER FABRIC inner lining

EN ISO 20345:2011 S3
HI/CI SRB

SIZES: 39-47 (UK 6-12)



→ LEATHER_PRO M2
ART. NO.: s1440k426148100



→ TIM AIR
ART. NO.: s0431b426148100



→ TOM AIR
ART. NO.: s1440b426148100



→ MAX
ART. NO.: s0430a331148100



TIM AIR

- For moderate indoor and outdoor work
- **Flexible**—thanks to seamless single-cut design

EN ISO 20345:2011 S3
HI/CI SRB

SIZES: 39-47 (UK 6-12)

TOM AIR

- For moderate indoor and outdoor work
- **Flexible**—thanks to seamless single-cut design

EN ISO 20345:2011 S3
HI/CI SRB

SIZES: 39-47 (UK 6-12)



→ MORITZ
ART. NO.: s1435a331148100



MAX

- For heavy indoor and outdoor work
- **Super long life**—thanks to the full rubber sole

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

MORITZ

- For moderate indoor and outdoor work
- **Super long life**—thanks to the full rubber sole

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

WITH THE GROWING NUMBER OF JOBS, THE SELECTION OF SHOES GROWS AS WELL.

- **Super light and slip-proof TPU/PU sole**—thanks to Rukapol® AIRflex
- **Perfect, ergonomic fit**—thanks to the unique multi-width system



→ FABIAN
ART. NO.: s13600a426148100



FABIAN

- For moderate indoor and outdoor work
- **Slip-ons with perfect heel retention**—thanks to automatic instep adjustment with the instep band
- **Light and airy**—thanks to PROtech Artico microfiber
- **Super light and breathable**—thanks to the air-cooled SPACER FABRIC inner lining
- **Super light and slip-preventing TPU/PU sole**—thanks to Rukapol® AIRflex

EN ISO 20345:2011 S3
HI/CI SRB

SIZES: 39-47
(UK 6-12)

→ FELIX
ART. NO.: s1450a426148100



FELIX

- For moderate indoor and outdoor work
- **Light and airy**—thanks to PROtech smooth micro-fiber
- **Super light and breathable**—thanks to the air-cooled SPACER FABRIC inner lining
- **Super light and slip-preventing TPU/PU sole**—thanks to Rukapol® AIRflex

EN ISO 20345:2011 S3
HI/CI SRB

SIZES: 39-47 (UK 6-12)

MARCEL_B

- For heavy indoor and outdoor work
- **Extra-long service life**—thanks to seamless single cut design
- **Abrasion-resistant and shock-absorbing**—thanks to the TPU cover cap
- **Super light and breathable**—thanks to the air-cooled SPACER FABRIC inner lining

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)



→ MARCEL_B
ART. NO.: s5800b331448100



→ MARCEL_A
ART. NO.: s5800a331448100



→ NIKI
ART. NO.: s5810c331445100



NIKI

- For moderate outdoor work
- **Waterproof and breathable**—thanks to the SympaTex® inner lining
- **Abrasion-resistant and shock-absorbing**—thanks to the TPU cover cap

EN ISO 20345:2011 S3
HI/CI HRO SRC WR

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

MARCEL_A

- For moderate indoor and outdoor work
- **Light and airy**—thanks to PROtech smooth micro-fiber
- **Abrasion-resistant and shock-absorbing**—thanks to the TPU cover cap
- **Super light and breathable**—thanks to the high percentage of textile and air-cooled SPACER FABRIC inner lining

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

SEAMEX® M1+M2 OUTBACK

- For heavy indoor and outdoor work
- **Optimum slip resistance for challenging terrain**—thanks to the Rukapol® MOUNTgrip rubber/PU mountain boot sole design

EN ISO 20345:2011 S3 CI SRA WR

SIZES: 39-47 (UK 6-12)

→ SEAMEX® M1 OUTBACK
ART. NO.: s4600e121445100



→ SEAMEX® M2 OUTBACK
ART. NO.: s1460e121145100

→ SEAMEX® M1
ART. NO.: s4600b426448100



→ SEAMEX® M2
ART. NO.: s1460b426148100



- **Ultimate toe protection at the lowest weight**—thanks to a fiberglass cap
- **Seamless sporty design**—with the latest NANOFash Technology®
- **Waterproof and breathable**—thanks to the SympaTex® inner lining
- **Perfect Grip**—thanks to the Rukapol® FLEXOgrip_SENDO full rubber sole



SEAMEX® M1 + M2


- For moderate indoor and outdoor work
- **Super light and breathable**—thanks the PROtech NANO microfiber and air-cooled SPACER FABRIC inner lining

EN ISO 20345:2011 S3 HI/CI SRB

SIZES: 39-47 (UK 6-12)

PLAY IT SAFE → DURING METAL CASTING AND WELDING ...

... AND FOR EXTREME CONDITIONS, SUCH AS AT THE SMELTING FURNACE.



→ **HOT_METAL**
ART. NO.: s3959a331448200



HOT_METAL

- Specially developed for metal foundry workers and welders
- **Liquid metal runs off**—thanks to the roof tile effect
- **Ultimate protection**—thanks to the steel toe cap

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)



BOA

- **No incursion of welding beads**—thanks to the covered BOA® Fit System with protective flap
- **Excellent heat protection**—thanks to specially aluminized leather
- **Perfect, ergonomic fit**—thanks to the unique multi-width system

→ **EXTREME_HOT**
ART. NO.: s7060b741448200



EXTREME_HOT

- For heavy indoor work at the highest temperatures in the steel sector, such as using the smelting furnace
- **100 % Protection** from 5 seconds of direct contact with liquid steel
- **Extremely heat-resistant and reflective**—thanks to the ALUline protector and Rukapol® Zermatt_HOT rubber sole (up to approx. 300 °C for brief contact)
- **Highly insulating against radiant heat and offering additional safety from direct material contact**—thanks to Kevlar® fabric with elastic, flame-retardant silicon carbon coating
- **Perfect Fit**—thanks to individually adjustable calf width
- **Ultimate protection**—thanks to the steel toe cap

EN ISO 20345:2011 HI/CI HRO SRA

SIZES: 39-50 (UK 6-14)
Oversize surcharge from size 48 (UK 12,5)

STEELY WORKING CONDITIONS → YOUR FEET WON'T NOTICE A THING.



→ EASY GO_HOT
ART. NO.: s6000b351448200



EASY GO_HOT

- For heavy indoor and outdoor work, particularly in the steel industry
- **Heat-resistant up to 300 °C for brief contact**—thanks to the Rukapol®-FLEXO-grip_HOT rubber sole with sensory-motor shaping
- **Durable**—thanks to Nomex shoelaces and heat-resistant seams
- **High insulation**—thanks to the Rukapol® FIT-AKTIV-ALU functional footbed with aluminum-layered insole

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)



- **Ultimate toe protection**—thanks to the robust steel cap and abrasion-resistant, shock-absorbing TPU cover cap



- **Water-repellent**—thanks to hydrophobic leather



- **Perfect Grip**—thanks to the Rukapol® FLEXOgrip_SENSO full rubber sole



- **Even pressure distribution along the gusset**—thanks to the bearing-based Rukapol® "Easy Roller" lacing system

EASY GO_STEEL

- For heavy indoor and outdoor work, particularly in the steel industry
- **Breathable**—thanks to the air-cooled SPACER FABRIC inner lining with automatic rear ventilation through two layers

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 39-47 (UK 6-12)

EASY GO_AIR

- For heavy indoor and outdoor work, particularly in the steel industry
- **Durable**—thanks to Nomex shoelaces and heat-resistant seams
- **Breathable**—thanks to the air-cooled SPACER FABRIC inner lining with automatic rear ventilation through two layers

EN ISO 20345:2011 S3
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

PAUL

- For heavy indoor and outdoor work and welders
- **On and off quickly**—thanks to the Rukapol® safety closure with double-lace system
- **Breathable**—thanks to the air-cooled SPACER FABRIC inner lining with automatic rear ventilation through two layers
- **Ultimate toe protection**—thanks to the robust steel cap

EN ISO 20345:2011 S1
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)

→ JONAS
ART. NO.: s3953a331448100



→ EASY GO_STEEL
ART. NO.: s6001a331448100



→ EASY GO_AIR
ART. NO.: s6000a331448100



→ PAUL
ART. NO.: s3954a331448100



JONAS

- For heavy indoor and outdoor work and welders
- **On and off quickly**—thanks to the Rukapol® safety closure with double-lace system
- **Breathable**—thanks to the air-cooled SPACER FABRIC inner lining with automatic rear ventilation through two layers
- **Ultimate toe protection**—thanks to the robust steel cap

EN ISO 20345:2011 S1
HI/CI HRO SRC

SIZES: 37-48 (UK 4-12,5)
Oversize surcharge from size 48 (UK 12,5)



Rukapol®
Sicherheitsschuhe GmbH
Research, Development
and Sales:

Ramingdorf 27
A-4441 Behamberg
Tel.: +43/(0)7252/82001
Fax: +43/(0)7252/82001-8
E-Mail: office@rukapol.at
www.rukapol.at

Free Hotline: 0800 24 02 03

Rukapol® International SRL
Production Site:
Oradea, Romania

Rukapol®
since 1954



Quality Safety Shoes

ISO 9001:2015 No.17600/0
ISO 14001:2015 No.03345/0